

For Sport and Professional Divers .

Greatest New Safety Protection
in YEARS!

## New DESCO FULL-FACE MASK

with sensational new SAF-T-EYE"

Air Reserve
WARNING LIGHT

and

TANK PRESSURE INDICATOR

Designed and Manufactured by

DIVING EQUIPMENT & SUPPLY CO.

212 N. Broadway

Milwaukee 2, Wisconsin, U. S. A.

Since 1936 . . . Leaders in Professional and Skin Diving Equipment



Revolutionary

# "SAF-T-EYE" in new DESCO FULL-FACE Professional Type Diving Mask

#### Exclusive DESCO Safety Advantages:

- Avoids Air Reserve Guesswork
- · No Dials to Watch No Timing to Check
- No Waiting for Undesirable Breathing Restrictions
- No Danger of Mask Accidentally Dislodging
- Protects Nose and Mouth against Dirty,
   Cold and Contaminated Water or Gas or
   Smoke in Rescue Work

- Protects against drowning by injury or loss of consciousness
- Provides Complete Assurance of Adequate Safety Margin for Surfacing
- Guards against forgetfulness regarding
   Air Reserve for "SAF-T-EYE" remains ON
   until you surface
- This mask can also be used with a low pressure air supply through surface hose connection.

## tells you IT'S TIME TO SURFACE!



A New Diving
Mask...with New

FOUR-WAY SAFETY

The most important contribution to diving safety in many years — the result of over 25 years of specialized designing for professional and Navy divers — the new DESCO Full-Face Diving Mask with its new "SAF-T-EYE" and MULTIPLE Safety Features adds new confidence for increasing millions of sports divers as well as professionals.

Here, for the first time, is a truly modern diving mask that combines:

#### 1. FULL-FACE PROTECTION

Designed for extra wide vision, unusually comfortable, covers both nose and mouth. Cannot be accidentally dislodged underwater. Keeps contaminated, dirty and cold water out of nose or mouth — and smoke or gas when used for rescue work. Protects against drowning in case of injury or accident.

#### 2. CYLINDER PRESSURE INDICATOR

The compact, micrometer type calibrated "SAF-T-EYE" Selector provides a quick check of cylinder pressure. Turning this Knob until light flashes on, gives you an accurate reading of air pressure inside your cylinder. This also gives you a check of both air pressure and "SAF-T-EYE" Function.

#### 3. VISIBLE AIR RESERVE SELECTOR

After checking air pressure, just rotate the "SAF-T-EYE" Selector Knob counter-clockwise until it registers the number of pounds of air you decide will be a safe reserve for surfacing.

#### 4. RESERVE WARNING LIGHT

DESCO "SAF-T-EYE" light flashes on automatically when air reserve is down to selected or predetermined "pressure" — and remains on until you surface and disconnect it.

For a New Standard in Diving Safety:

Change to DESCO
"SAF-T-EYE"
Full-Facing Diving
Mask Equipment
for Self-Contained
Free Diving or for
Surface Supplied Air.

## For New Pleasure and Safety in Underwater Sports...

Start with new

## DESCO "SAF-T-EYE" Full-Face Mask

with
Air Reserve
Warning Light
and
Tank Pressure
Indicator



#### DESCO DELUXE LEAD WEIGHT BELT

DESCO Lead Weight Quick Release Pocket Belt is a very efficient unit with nine weights weighing 2½ lbs. each. Pockets are provided with flaps and snaps so that weights may be removed to adjust for negative buoyancy. A brass quick release buckle is provided so that the entire belt may be dropped instantly in case of emergency.

Catalog No. 59039. Shpg. Wt. 25 lbs.

There is no substitute for the quality and safety engineered into DESCO Diving Equipment — for Sport and Professional Diving.



Designed by the foremost authorities in diving equipment, the new DESCO "SAF-T-EYE" Full-Face Diving Mask offers safety advantages never before available to professional and sports divers. The "SAF-T-EYE" Warning Light alone is an automatic control that adds new freedom and pleasure to underwater sport and eliminates all concern for lack of reserve air pressure. The new DESCO Full-Face Mask, with water tight seals, is strong, durable and comfortable to wear. It is equipped with quick release buckles and straps to securely attach the mask comfortably without leakage. It cannot be dislodged accidentally underwater. It keeps contaminated, dirty water from entering the nose or mouth, or smoke or gas when used for rescue work. Another extra safety feature built into the Mask is the precision demand valve with easily accessible by-pass valve or safety valve. Should the demand valve become damaged, a controlled flow of air can be let into the mask by opening the by-pass valve. Any water seepage in mask can be instantly purged by opening the by-pass valve. The light is powered by a simple self-energizing pen light battery designed for extra long service, and readily replaceable.

The "SAF-T-EYE" unit is also available for ready adaptation to all existing diving equipment using the standard type K valves.

This mask can also be used with a low pressure air supply through surface hose connection.

#### DIVING EQUIPMENT & SUPPLY CO.

212 N. Broadway

Milwaukee 2, Wisconsin, U. S. A.