

# **TOOLS NEEDED FOR REPAIR OF MK 18**




Quantity	Part Number	Description	
1		Socket Wrench with 3/8" drive and	
		3" extension	Å
1	20-155-500	1" Yoke Nut Socket	
	(Peter Built)		
	20.270-100	Balance Chamber Tool	
	(Peter Built)		
1 set	10.102.100	Brass o'ring picks	
	(Peter Built)		
1 tube	41.047.000	Christo-Lube	
1	47.010.000	Counter Mat	
			SCUBAPRO
1	41.496.101	Lubricant syringe	Manguer
1	43.040.000	Universal Tool	
			$\forall$ $\neg$ $\neg$
1	20-115-100	First Stage Handle	
	(Peter Built)		
2		Torque Wrench with 3/8" drive -	2 3 4 5 4 3 2 J
		100 in-lb range and 600 in-lb range	
1		Hex Key Set: 7/32" and 6mm	
1		Crescent wrench	
1	20.500.200	Pneumatic Adjusting tool	1
	(Peter Built)		
	· · ·		
1	18.300.500	Blow Gun/Air Nozzle	
	(Peter Built)		


ICON LEGEND


	Inspect carefully, replace if needed
Kaujer	Lubricate properly
$\bigcirc$	Replace annually
$\bigcirc$	Dynamic o'ring, lubricate properly
A CARACTER CONTRACTOR OF CONTO	No tools needed for this step
	Indicates the regulators affected by this step


©2003 SCUBAPRO


2 Important note: The following information is not designed to be a complete training guide for servicing the listed SCUBAPRO regulators. All SCUBAPRO technicians are required to attend an annual service training program to insure safe handling and servicing of SCUBAPRO products. All SCUBAPRO technicians must be employed by an authorized SCUBAPRO facility.













©2003 SCUBAPRO

Important note: The following information is not designed to be a complete training guide for servicing the listed SCUBAPRO regulators. All SCUBAPRO technicians are required to attend an annual service training program to insure safe handling and servicing of SCUBAPRO products. All SCUBAPRO technicians must be employed by an authorized SCUBAPRO facility.







remove the balance chamber by threading out the unit in a counter clockwise direction. Turn the unit as shown to prevent loss of the HP seat and spring assembly.

Remove the spring assembly.

6

Remove the HP seat using the brass picks. The HP seat will be replaced. Use caution to prevent damaging the regulator body. Alternatively, use the air gun and Balance Chamber tool to remove the HP seat.

